



### OFFICIAL LISTING

NSF certifies that the products appearing on this Listing conform to the requirements of NSF/ANSI Standard 14 - Plastics Piping System Components and Related Materials

This is the Official Listing recorded on March 10, 2021.

Golan Plastic Products Ltd.  
Kibbutz Shaar Hagolan  
M.P. Jordan Valley 15145  
Israel  
972 46 677432

Facility: Jordan Valley, Israel

#### Oil and Gas Producing Applications - Pipe and Fittings

Product Type	Material Type	Trade Name	Product Standard
Tubing	PEX 0006	Pexgol PE-Xa Black	ASTM F2905
3" - 18" SDR 7.3			
3" - 20" SDR 8.3			
3" - 24" SDR 9			
3" - 36" SDR 11			
3" - 36" SDR 13.5			
3" - 48" SDR 15.5			
3" - 54" SDR 17			
3" - 54" SDR 21			
16 mm - 355 mm SDR 6			
16 mm - 450 mm SDR 7.4			
16 mm - 800 mm SDR 9			
16 mm - 630 mm SDR 11			
16 mm - 630 mm SDR 13.6			
16 mm - 630 mm SDR 16.2			
16 mm - 630 mm SDR 17			
16 mm - 630 mm SDR 21			

#### Potable Water - Pipe and Fittings

Product Type	Material Type	Trade Name	Product Standard
Pipe ^ \$ \$\$ +++	PEX 5006	AquaHeat PE-Xa Black	ASTM F876/F877
3/8" - 1" DR 9			
Pipe ^ \$ \$\$ +++	PEX 5006	AquaHeat PE-Xa Black	CSA B137.5
3/8" - 1" DR 9			
Pipe ^ \$ \$\$ +++	PEX 5106	AquaHeat PE-Xa Natural	ASTM F876/F877
3/8" - 1" DR 9			
Pipe * ^ \$ \$ \$ +++	PEX 3006	AquaHeat PE-Xa Natural	ASTM F2788
1/2" - 14" SDR 6DR 6			
16 mm - 355 mm DR 6			
1/2" - 18" DR 7.4			

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



16 mm - 450 mm DR 7.4  
 1/2" - 25" DR 9  
 16 mm - 630 mm DR 9  
 3/4" - 25" DR 11  
 20 mm - 630 mm DR 11  
 1" - 25" DR 13.6  
 25 mm - 630 mm DR 13.6  
 1 1/4" - 25" DR 16.2  
 32 mm - 630 mm DR 16.2  
 1 1/4" - 25" DR 17  
 32 mm - 630 mm DR 17  
 Pipe ^ ¢ \$ \$\$ \$\$\$ +++  
 3/8" - 6" DR 9  
 Pipe # ^ ¢ \$ \$\$ \$\$\$ +++  
 3/8" - 6" DR 9  
 Pipe # ^ ¢ \$ \$\$ \$\$\$ +++  
 3/8" - 1" DR 9  
 Pipe \$ \* ^ +++  
 1/2" - 1" DR 6  
 16 mm - 25 mm DR 6  
 1/2" - 1" DR 7.4  
 16 mm - 25 mm DR 7.4  
 1/2" - 1" DR 9  
 16 mm - 25 mm DR 9  
 3/4" - 1" DR 11  
 20 mm - 25 mm DR 11  
 1" DR 13.6  
 25 mm DR 13.6  
 Pipe \$ ^ \$ \$\$\$  
 1/4" - 1" DR 9  
 Pipe \$ \* ^ +++  
 1/2" - 1" DR 6  
 16 mm - 25 mm DR 6  
 1/2" - 1" DR 7.4  
 16 mm - 25 mm DR 7.4  
 1/2" - 1" DR 9  
 16 mm - 25 mm DR 9  
 3/4" - 1" DR 11  
 20 mm - 25 mm DR 11  
 1" DR 13.6  
 25 mm DR 13.6  
 Pipe \$ ^ \$ \$\$\$  
 1/4" - 1" DR 9  
 Pipe \$ \* ^ +++

PEX 3006	AquaHeat PE-Xa Natural	ASTM F876/F877
PEX 3006	AquaHeat PE-Xa Natural	CSA B137.5
PEX 5106	AquaHeat PE-Xa Natural	CSA B137.5
PEX 5006	AquaHeat PE-Xc Black	ASTM F2788
PEX 5006	AquaHeat PE-Xc Black	ASTM F876/F877
PEX 5006	AquaHeat PE-Xc Blue	ASTM F2788
PEX 5006	AquaHeat PE-Xc Blue	ASTM F876/F877
PEX 5006	AquaHeat PE-Xc Natural	ASTM F2788

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



1/2" - 1" DR 6  
 16 mm - 25 mm DR 6  
 1/2" - 1" DR 7.4  
 16 mm - 25 mm DR 7.4  
 1/2" - 1" DR 9  
 16 mm - 25 mm DR 9  
 3/4" - 1" DR 11  
 20 mm - 25 mm DR 11  
 1" DR 13.6  
 25 mm DR 13.6

Pipe \$ ^ \$ +++ PEX 5006 AquaHeat PE-Xc Natural ASTM F876/F877

14" - 1" DR 6  
 Pipe \$ \* ^ +++

PEX 5006 AquaHeat PE-Xc Red ASTM F2788

1/2" - 1" DR 6  
 16 mm - 25 mm DR 6  
 1/2" - 1" DR 7.4  
 16 mm - 25 mm DR 7.4  
 1/2" - 1" DR 9  
 16 mm - 25 mm DR 9  
 3/4" - 1" DR 11  
 20 mm - 25 mm DR 11  
 1" DR 13.6  
 25 mm DR 13.6

Pipe \$ ^ \$ +++ PEX 5006 AquaHeat PE-Xc Red ASTM F876/F877

1/4" - 1" DR 9  
 Pipe ^ \$ \$\$ +++

PEX 5006 AquaSeal PE-Xa Black ASTM F876/F877

3/8" - 1" DR 9  
 Pipe # ^ ¢ \$ \$\$ +++

PEX 5006 AquaSeal PE-Xa Black CSA B137.5

3/8" - 1" DR 9  
 Pipe \* ^ ¢ \$ \$\$ +++

PEX 3006 AquaSeal PE-Xa Natural ASTM F2788

1/2" - 14" DR 6  
 16 mm - 355 mm DR 6  
 1/2" - 18" DR 7.4  
 16 mm - 450 mm DR 7.4  
 1/2" - 25" SDR 9  
 16 mm - 630 mm SDR 9  
 3/4" - 25" SDR 11  
 20 mm - 630 mm SDR 11  
 1" - 25" DR 13.6  
 25 mm - 630 mm DR 13.6  
 1 1/4" - 25" DR 16.2  
 32 mm - 630 mm DR 16.2  
 1 1/4" - 25" SDR 17  
 32 mm - 630 mm SDR 17

Pipe ^ ¢ \$ \$\$ +++ PEX 3006 AquaSeal PE-Xa Natural ASTM F876/F877

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



3/8" - 6" SDR 9 Pipe ^ § \$\$\$ +++	PEX 5106	AquaSeal PE-Xa Natural	ASTM F876/F877
3/8" - 1" DR 9 Pipe # ^ ¢ § \$\$\$ +++	PEX 3006	AquaSeal PE-Xa Natural	CSA B137.5
3/8" - 6" SDR 9 Pipe # ^ ¢ § \$\$\$ +++	PEX 5106	AquaSeal PE-Xa Natural	CSA B137.5
3/8" - 1" DR 9 Pipe \$ * ^ +++	PEX 5006	AquaSeal PE-Xc Black	ASTM F2788
1/2" - 1" DR 6 16 mm - 25 mm DR 6			
1/2" - 1" DR 7.4 16 mm - 25 mm DR 7.4			
1/2" - 1" SDR 9 16 mm - 25 mm SDR 9			
3/4" - 1" SDR 11 20 mm - 25 mm SDR 11			
1" DR 13.6 25 mm DR 13.6			
Pipe \$ ^ § +++	PEX 5006	AquaSeal PE-Xc Black	ASTM F876/F877
1/4" - 1" SDR 9 Pipe \$ * ^ +++	PEX 5006	AquaSeal PE-Xc Blue	ASTM F2788
1/2" - 1" DR 6 16 mm - 25 mm DR 6			
1/2" - 1" DR 7.4 16 mm - 25 mm DR 7.4			
1/2" - 1" SDR 9 16 mm - 25 mm SDR 9			
3/4" - 1" SDR 11 20 mm - 25 mm SDR 11			
1" DR 13.6 25 mm DR 13.6			
Pipe \$ ^ § +++	PEX 5006	AquaSeal PE-Xc Blue	ASTM F876/F877
1/4" - 1" SDR 9 Pipe \$ * ^ +++	PEX 5006	AquaSeal PE-Xc Natural	ASTM F2788
1/2" - 1" DR 6 16 mm - 25 mm DR 6			
1/2" - 1" DR 7.4 16 mm - 25 mm DR 7.4			
1/2" - 1" SDR 9 16 mm - 25 mm SDR 9			
3/4" - 1" SDR 11 20 mm - 25 mm SDR 11			
1" DR 13.6 25 mm DR 13.6			

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Pipe <sup>\$ ^ \$ +++</sup>	PEX 5006	AquaSeal PE-Xc Natural	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe <sup>\$ * ^ +++</sup>	PEX 5006	AquaSeal PE-Xc Red	ASTM F2788
1/2" - 1" DR 6			
16 mm - 25 mm DR 6			
1/2" - 1" DR 7.4			
16 mm - 25 mm DR 7.4			
1/2" - 1" SDR 9			
16 mm - 25 mm SDR 9			
3/4" - 1" SDR 11			
20 mm - 25 mm SDR 11			
1" DR 13.6			
25 mm DR 13.6			
Pipe <sup>\$ ^ \$ +++</sup>	PEX 5006	AquaSeal PE-Xc Red	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe <sup>^ \$ \$\$ +++</sup>	PEX 5006	HeatFlow PEX PE-Xa Black	ASTM F876/F877
3/8" - 1" DR 9			
Pipe <sup># ^ \$ \$ \$ +++</sup>	PEX 5006	HeatFlow PEX PE-Xa Black	CSA B137.5
3/8" - 1" DR 9			
Pipe <sup>* ^ \$ \$ \$ +++</sup>	PEX 3006	HeatFlow PEX PE-Xa Natural	ASTM F2788
1/2" - 14" DR 6			
16 mm - 355 mm DR 6			
1/2" - 18" DR 7.4			
16 mm - 450 mm DR 7.4			
1/2" - 25" SDR 9			
16 mm - 630 mm SDR 9			
3/4" - 25" SDR 11			
20 mm - 630 mm SDR 11			
1" - 25" DR 13.6			
25 mm - 630 mm DR 13.6			
1 1/4" - 25" DR 16.2			
32 mm - 630 mm DR 16.2			
1 1/4" - 25" SDR 17			
32 mm - 630 mm SDR 17			
Pipe <sup>^ \$ \$ \$ +++</sup>	PEX 3006	HeatFlow PEX PE-Xa Natural	ASTM F876/F877
3/8" - 6" SDR 9			
Pipe <sup>^ \$ \$ \$ +++</sup>	PEX 5106	HeatFlow PEX PE-Xa Natural	ASTM F876/F877
3/8" - 1" DR 9			
Pipe <sup># ^ \$ \$ \$ +++</sup>	PEX 5106	HeatFlow PEX PE-Xa Natural	CSA B137.5
3/8" - 1" DR 9			
Pipe <sup># ^ \$ \$ \$ +++</sup>	PEX 3006	HeatFlow PEX PE-Xa Natural	CSA B137.5
3/8" - 6" SDR 9			

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Pipe <sup>\$ * ^ +++</sup>	PEX 5006	HeatFlow PEX PE-Xc Black	ASTM F2788
1/2" - 1" DR 6			
16 mm - 25 mm DR 6			
1/2" - 1" DR 7.4			
16 mm - 25 mm DR 7.4			
1/2" - 1" SDR 9			
16 mm - 25 mm SDR 9			
3/4" - 1" SDR 11			
20 mm - 25 mm SDR 11			
1" DR 13.6			
25 mm DR 13.6			
Pipe <sup>\$ ^ \$ +++</sup>	PEX 5006	HeatFlow PEX PE-Xc Black	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe <sup>\$ * ^ +++</sup>	PEX 5006	HeatFlow PEX PE-Xc Blue	ASTM F2788
1/2" - 1" DR 6			
16 mm - 25 mm DR 6			
1/2" - 1" DR 7.4			
16 mm - 25 mm DR 7.4			
1/2" - 1" SDR 9			
16 mm - 25 mm SDR 9			
3/4" - 1" SDR 11			
20 mm - 25 mm SDR 11			
1" DR 13.6			
25 mm DR 13.6			
Pipe <sup>\$ ^ \$ +++</sup>	PEX 5006	HeatFlow PEX PE-Xc Blue	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe <sup>\$ * ^ +++</sup>	PEX 5006	HeatFlow PEX PE-Xc Red	ASTM F2788
1/2" - 1" DR 6			
16 mm - 25 mm DR 6			
1/2" - 1" DR 7.4			
16 mm - 25 mm DR 7.4			
1/2" - 1" SDR 9			
16 mm - 25 mm SDR 9			
3/4" - 1" SDR 11			
20 mm - 25 mm SDR 11			
1" DR 13.6			
25 mm DR 13.6			
Pipe <sup>\$ ^ \$ +++</sup>	PEX 5006	HeatFlow PEX PE-Xc Red	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe <sup>\$ * ^ +++</sup>	PEX 5006	HeatFlow PEX PE-Xc Natural	ASTM F2788
1/2" - 1" DR 6			
16 mm - 25 mm DR 6			
1/2" - 1" DR 7.4			

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



16 mm - 25 mm DR 7.4

1/2" - 1" SDR 9

16 mm - 25 mm SDR 9

3/4" - 1" SDR 11

20 mm - 25 mm SDR 11

1" DR 13.6

25 mm DR 13.6

Pipe \$ ^ \$ \$\$\$

PEX 5006

HeatFlow PEX PE-Xc Natural

ASTM F876/F877

1/4" - 1" SDR 9

Pipe ^ \$ \$\$ \$\$\$

PEX 5006

Pexgol PE-Xa Black

ASTM F876/F877

3/8" - 1" DR 9

Tubing ^ ^ \$ \$\$\$\$

PEX 3006

Pexgol PE-Xa Black

ASTM F876/F877

1/2" - 3" SDR 9

Tubing \* ^ ^ \$ \$\$\$\$

PEX 3006

Pexgol PE-Xa Black

ASTM F2788/F2788M

3" SDR 9

16 mm - 76 mm SDR 9

3" - 14" SDR 6DR 6

16 mm - 355 mm DR 6

3" - 18" DR 7.4

16 mm - 450 mm DR 7.4

3" - 25" DR 9

16 mm - 630 mm DR 9

3" - 25" DR 11

20 mm - 630 mm DR 11

3" - 25" DR 13.6

25 mm - 630 mm DR 13.6

3" - 25" DR 16.2

32 mm - 630 mm DR 16.2

3" - 25" DR 17

32 mm - 630 mm DR 17

Tubing # ^ ^ \$ \$\$\$\$

PEX 3006

Pexgol PE-Xa Black

CSA B137.5

1/2" - 3" SDR 9

Pipe # ^ ^ \$ \$\$\$\$

PEX 5006

Pexgol PE-Xa Black

CSA B137.5

3/8" - 1" DR 9

Pipe \* ^ ^ \$ \$\$\$\$

PEX 3006

Pexgol PE-Xa Natural

ASTM F2788

1/2" - 14" DR 6

16 mm - 355 mm DR 6

1/2" - 18" DR 7.4

16 mm - 450 mm DR 7.4

1/2" - 25" SDR 9

16 mm - 630 mm SDR 9

3/4" - 25" SDR 11

20 mm - 630 mm SDR 11

1" - 25" DR 13.6

25 mm - 630 mm DR 13.6

1 1/4" - 25" DR 16.2

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



32 mm - 630 mm DR 16.2

1 1/4" - 25" SDR 17

32 mm - 630 mm SDR 17

Pipe ^ ¢ § \$\$\$ +++

PEX 3006

Pexgol PE-Xa Natural

ASTM F876/F877

3/8" - 6" SDR 9

Pipe ^ § \$\$\$ +++

PEX 5106

Pexgol PE-Xa Natural

ASTM F876/F877

3/8" - 1" DR 9

Pipe # ^ ¢ § \$\$\$ +++

PEX 3006

Pexgol PE-Xa Natural

CSA B137.5

3/8" - 6" SDR 9

Pipe # ^ ¢ § \$\$\$ +++

PEX 5106

Pexgol PE-Xa Natural

CSA B137.5

3/8" - 1" DR 9

Pipe \$ ^ § +++

PEX 5006

Pexgol PE-Xc Natural

ASTM F876/F877

1/4" - 1" SDR 9

Pipe \* ^ ¢ \$\$\$ +++

PEX 3006

Sioux Chief PE-Xa Natural

ASTM F2788

1/2" - 14" DR 6

16 mm - 355 mm DR 6

1/2" - 18" DR 7.4

16 mm - 450 mm DR 7.4

1/2" - 25" SDR 9

16 mm - 630 mm SDR 9

3/4" - 25" SDR 11

20 mm - 630 mm SDR 11

1" - 25" DR 13.6

25 mm - 630 mm DR 13.6

1 1/4" - 25" DR 16.2

32 mm - 630 mm DR 16.2

1 1/4" - 25" SDR 17

32 mm - 630 mm SDR 17

Pipe \$ \* ^ +++

PEX 5006

Pexgol PE-Xc Black

ASTM F2788

1/2" - 1" DR 6

16 mm - 25 mm DR 6

1/2" - 1" DR 7.4

16 mm - 25 mm DR 7.4

1/2" - 1" SDR 9

16 mm - 25 mm SDR 9

3/4" - 1" SDR 11

20 mm - 25 mm SDR 11

1" DR 13.6

25 mm DR 13.6

Pipe \$ ^ § +++

PEX 5006

Pexgol PE-Xc Black

ASTM F876/F877

1/4" - 1" SDR 9

Pipe \$ \* ^ +++

PEX 5006

Pexgol PE-Xc Blue

ASTM F2788

1/2" - 1" DR 6

16 mm - 25 mm DR 6

1/2" - 1" DR 7.4

16 mm - 25 mm DR 7.4

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.





1/2" - 1"	SDR 9			
16 mm - 25 mm	SDR 9			
3/4" - 1"	SDR 11			
20 mm - 25 mm	SDR 11			
1"	DR 13.6			
25 mm	DR 13.6			
Pipe \$ ^ \$ +++		PEX 5006	Pexgol PE-Xc Blue	ASTM F876/F877
1/4" - 1"	SDR 9			
Pipe \$ * ^ +++		PEX 5006	Pexgol PE-Xc Red	ASTM F2788
1/2" - 1"	DR 6			
16 mm - 25 mm	DR 6			
1/2" - 1"	DR 7.4			
16 mm - 25 mm	DR 7.4			
1/2" - 1"	SDR 9			
16 mm - 25 mm	SDR 9			
3/4" - 1"	SDR 11			
20 mm - 25 mm	SDR 11			
1"	DR 13.6			
25 mm	DR 13.6			
Pipe \$ ^ \$ +++		PEX 5006	Pexgol PE-Xc Red	ASTM F876/F877
1/4" - 1"	SDR 9			
Pipe \$ * ^ +++		PEX 5006	Pexgol PE-Xc Natural	ASTM F2788
1/2" - 1"	DR 6			
16 mm - 25 mm	DR 6			
1/2" - 1"	DR 7.4			
16 mm - 25 mm	DR 7.4			
1/2" - 1"	SDR 9			
16 mm - 25 mm	SDR 9			
3/4" - 1"	SDR 11			
20 mm - 25 mm	SDR 11			
1"	DR 13.6			
25 mm	DR 13.6			
Pipe ^ \$ \$\$ +++		PEX 5006	Plumber Friendly PE-Xa Black	ASTM F876/F877
3/8" - 1"	DR 9			
Pipe # ^ ¢ \$ \$\$ +++		PEX 5006	Plumber Friendly PE-Xa Black	CSA B137.5
3/8" - 1"	DR 9			
Pipe * ^ ¢ \$ \$ +++		PEX 3006	Plumber Friendly PE-Xa Natural	ASTM F2788
1/2" - 14"	DR 6			
16 mm - 355 mm	DR 6			
1/2" - 18"	DR 7.4			
16 mm - 450 mm	DR 7.4			
1/2" - 25"	SDR 9			
16 mm - 630 mm	SDR 9			
3/4" - 25"	SDR 11			
20 mm - 630 mm	SDR 11			

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



1" - 25" DR 13.6  
 25 mm - 630 mm DR 13.6  
 1 1/4" - 25" DR 16.2  
 32 mm - 630 mm DR 16.2  
 1 1/4" - 25" SDR 17  
 32 mm - 630 mm SDR 17  
 Pipe ^ ¢ \$ \$\$ \$\$\$ +++

PEX 3006 Plumber Friendly PE-Xa Natural ASTM F876/F877

3/8" - 6" SDR 9  
 Pipe ^ \$ \$\$ \$\$\$ +++

PEX 5106 Plumber Friendly PE-Xa Natural ASTM F876/F877

3/8" - 1" DR 9  
 Pipe # ^ ¢ \$ \$\$ \$\$\$ +++

PEX 3006 Plumber Friendly PE-Xa Natural CSA B137.5

3/8" - 6" SDR 9  
 Pipe ^ ¢ \$ \$\$ \$\$\$ +++

PEX 3006 Sioux Chief PE-Xa Natural ASTM F876/F877

3/8" - 6" SDR 9  
 Pipe # ^ ¢ \$ \$\$ \$\$\$ +++

PEX 5106 Plumber Friendly PE-Xa Natural CSA B137.5

3/8" - 1" DR 9  
 Pipe \$ \* ^ +++

PEX 5006 Plumber Friendly PE-Xc Black ASTM F2788

1/2" - 1" DR 6  
 16 mm - 25 mm DR 6  
 1/2" - 1" DR 7.4  
 16 mm - 25 mm DR 7.4  
 1/2" - 1" SDR 9  
 16 mm - 25 mm SDR 9  
 3/4" - 1" SDR 11  
 20 mm - 25 mm SDR 11

1" DR 13.6  
 25 mm DR 13.6  
 Pipe \$ ^ \$ \$\$\$ +++

PEX 5006 Plumber Friendly PE-Xc Black ASTM F876/F877

1/4" - 1" SDR 9  
 Pipe \$ \* ^ +++

PEX 5006 Plumber Friendly PE-Xc Blue ASTM F2788

1/2" - 1" DR 6  
 16 mm - 25 mm DR 6  
 1/2" - 1" DR 7.4  
 16 mm - 25 mm SDR 7.4  
 1/2" - 1" SDR 9  
 16 mm - 25 mm SDR 9  
 3/4" - 1" SDR 11  
 20 mm - 25 mm SDR 11

1" DR 13.6  
 25 mm DR 13.6  
 Pipe \$ ^ \$ \$\$\$ +++

PEX 5006 Plumber Friendly PE-Xc Blue ASTM F876/F877

1/4" - 1" SDR 9

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Pipe <sup>\$ * ^ +++</sup>	PEX 5006	Plumber Friendly PE-Xc Natural	ASTM F2788
1/2" - 1" DR 6			
16 mm - 25 mm DR 6			
1/2" - 1" DR 7.4			
16 mm - 25 mm DR 7.4			
1/2" - 1" DR 9			
16 mm - 25 mm SDR 9			
3/4" - 1" SDR 11			
20 mm - 25 mm SDR 11			
1" DR 13.6			
25 mm DR 13.6			
Pipe <sup>\$ ^ \$ +++</sup>	PEX 5006	Plumber Friendly PE-Xc Natural	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe <sup>\$ * ^ +++</sup>	PEX 5006	Plumber Friendly PE-Xc Red	ASTM F2788
1/2" - 1" DR 6			
16 mm - 25 mm DR 6			
1/2" - 1" DR 7.4			
16 mm - 25 mm DR 7.4			
1/2" - 1" SDR 9			
16 mm - 25 mm SDR 9			
3/4" - 1" SDR 11			
20 mm - 25 mm SDR 11			
1" DR 13.6			
25 mm SDR 13.6			
Pipe <sup>\$ ^ \$ +++</sup>	PEX 5006	Plumber Friendly PE-Xc Red	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe <sup>^ ¢ \$ \$\$\$ +++</sup>	PEX 1006	Slant/Fin Heating PE-Xa Natural	ASTM F876/F877
3/8" - 6" SDR 9			
Pipe <sup>^ \$ \$\$\$ +++</sup>	PEX 5006	Sioux Chief PE- Xa Black	ASTM F876/F877
3/8" - 1" DR 9			
Pipe <sup># ^ ¢ \$ \$\$\$ +++</sup>	PEX 5006	Sioux Chief PE- Xa Black	CSA B137.5
3/8" - 1" DR 9			
Pipe <sup># ^ ¢ \$ \$\$\$ +++</sup>	PEX 3006	Sioux Chief PE- Xa Natural	CSA B137.5
3/8" - 6" SDR 9			
Pipe <sup>^ \$ \$\$\$ +++</sup>	PEX 5106	Sioux Chief PE- Xa Natural	ASTM F876/F877
3/8" - 1" DR 9			
Pipe <sup>^ \$ \$\$\$ +++</sup>	PEX 5006	Slant/Fin Heating PE-Xa Black	ASTM F876/F877
3/8" - 1" DR 9			
Pipe <sup># ^ ¢ \$ \$\$\$ +++</sup>	PEX 5106	Sioux Chief PE- Xa Natural	CSA B137.5

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



3/8" - 1" DR 9 Pipe <sup>^</sup> \$ \$ \$ +++	PEX 5106	Slant/Fin Heating PE-Xa Natural	ASTM F876/F877
3/8" - 1" DR 9 Pipe # <sup>^</sup> ¢ \$ \$ \$ +++	PEX 5006	Slant/Fin Heating PE-Xa Black	CSA B137.5
3/8" - 1" DR 9 Pipe # <sup>^</sup> ¢ \$ \$ \$ +++	PEX 3006	Slant/Fin Heating PE-Xa Natural	CSA B137.5
3/8" - 6" SDR 9 Pipe \$ * <sup>^</sup> +++	PEX 5006	Slant/Fin Heating PE-Xc Black	ASTM F2788
1/2" - 1" DR 6 16 mm - 25 mm DR 6 1/2" - 1" DR 7.4 16 mm - 25 mm DR 7.4 1/2" - 1" SDR 9 16 mm - 25 mm SDR 9 3/4" - 1" SDR 11 20 mm - 25 mm SDR 11 1" DR 13.6 25 mm DR 13.6 Pipe \$ <sup>^</sup> \$ +++	PEX 5006	Slant/Fin Heating PE-Xc Black	ASTM F876/F877
1/4" - 1" SDR 9 Pipe \$ * <sup>^</sup> +++	PEX 5006	Slant/Fin Heating PE-Xc Blue	ASTM F2788
1/2" - 1" DR 6 16 mm - 25 mm DR 6 1/2" - 1" DR 7.4 16 mm - 25 mm DR 7.4 1/2" - 1" SDR 9 16 mm - 25 mm SDR 9 3/4" - 1" Sch 11 20 mm - 25 mm SDR 11 1" DR 13.6 25 mm DR 13.6 Pipe \$ <sup>^</sup> \$ +++	PEX 5006	Slant/Fin Heating PE-Xc Blue	ASTM F876/F877
1/4" - 1" SDR 9 Pipe * <sup>^</sup> ¢ \$ \$ +++	PEX 3006	Slant/Fin Heating PE-Xa Natural	ASTM F2788
1/2" - 14" DR 6 16 mm - 355 mm DR 6 1/2" - 18" DR 7.4			

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



16 mm - 450 mm DR 7.4  
 1/2" - 25" SDR 9  
 16 mm - 630 mm SDR 9  
 3/4" - 25" SDR 11  
 20 mm - 630 mm SDR 11  
 1" - 25" DR 13.6  
 25 mm - 630 mm DR 16.2  
 1 1/4" - 25" DR 16.2  
 32 mm - 630 mm DR 16.2  
 1 1/4" - 25" SDR 17  
 32 mm - 630 mm SDR 17

Pipe \$ \* ^ +++ PEX 5006 Slant/Fin Heating PE-Xc Natural ASTM F2788

1/2" - 1" DR 6  
 1/2" - 1" DR 7.4  
 16 mm - 25 mm DR 7.4  
 25 mm DR 13.6  
 16 mm - 25 mm SDR 9  
 3/4" - 1" SDR 11  
 20 mm - 25 mm SDR 11  
 1" DR 13.6  
 16 mm - 25 mm DR 6

1/2" - 1" SDR 9  
 Pipe \$ ^ § +++ PEX 5006 Slant/Fin Heating PE-Xc Natural ASTM F876/F877

1/4" - 1" SDR 9  
 Pipe \$ ^ § +++ PEX 5006 Slant/Fin Heating PE-Xc Red ASTM F876/F877

1/4" - 1" SDR 9  
 Pipe \$ \* ^ +++ PEX 5006 Slant/Fin Heating PE-Xc Red ASTM F2788

1/2" - 1" DR 6  
 16 mm - 25 mm DR 6  
 1/2" - 1" DR 7.4  
 16 mm - 25 mm DR 7.4  
 1/2" - 1" SDR 9  
 16 mm - 25 mm SDR 9  
 3/4" - 1" SDR 11  
 20 mm - 25 mm SDR 11

1" DR 13.6  
 25 mm DR 13.6  
 Pipe ^ § \$\$ +++ PEX 5006 Slant/Fin Plumbing PE-Xa Black ASTM F876/F877

3/8" - 1" DR 9  
 Pipe # ^ ¢ § \$\$ +++ PEX 5006 Slant/Fin Plumbing PE-Xa Black CSA B137.5

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



3/8" - 1" DR 9 Pipe ^ ¢ \$ \$\$\$ +++	PEX 3006	Slant/Fin Plumbing PE-Xa Natural	ASTM F876/F877
3/8" - 6" SDR 9 Pipe * ^ ¢ \$\$\$ +++	PEX 3006	Slant/Fin Plumbing PE-Xa Natural	ASTM F2788
1/2" - 14" DR 6 16 mm - 355 mm DR 6 1/2" - 18" DR 7.4 16 mm - 450 mm DR 7.4 1/2" - 25" SDR 9 16 mm - 630 mm SDR 9 3/4" - 25" SDR 11 20 mm - 630 mm SDR 11 1" - 25" DR 13.6 25 mm - 630 mm DR 13.6 1 1/4" - 25" DR 16.2 32 mm - 630 mm DR 16.2 1 1/4" - 25" SDR 17 32 mm - 630 mm SDR 17 Pipe ^ \$ \$\$\$ +++	PEX 5106	Slant/FIN Plumbing PE-Xa Natural	ASTM F876/F877
3/8" - 1" DR 9 Pipe # ^ ¢ \$ \$\$\$ +++	PEX 5106	Slant/FIN Plumbing PE-Xa Natural	CSA B137.5
3/8" - 1" DR 9 Pipe # ^ ¢ \$ \$\$\$ +++	PEX 3006	Slant/Fin Plumbing PE-Xa Natural	CSA B137.5
3/8" - 6" SDR 9 Pipe \$ ^ \$ \$\$\$ +++	PEX 5006	Slant/Fin Plumbing PE-Xc Black	ASTM F876/F877
1/4" - 1" SDR 9 Pipe \$ * ^ +++	PEX 5006	Slant/Fin Plumbing PE-Xc Black	ASTM F2788
1/2" - 1" DR 6 16 mm - 25 mm SIDR 6 1/2" - 1" DR 7.4 16 mm - 25 mm DR 7.4 1/2" - 1" SDR 9 16 mm - 25 mm SDR 9 3/4" - 1" SDR 11 20 mm - 25 mm SDR 11 1" DR 13.6 25 mm DR 13.6 Pipe \$ ^ \$ \$\$\$ +++	PEX 5006		

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Slant/Fin  
Plumbing PE-Xc  
Blue

ASTM F876/F877

1/4" - 1" SDR 9  
Pipe \$ \* ^ +++

PEX 5006

Slant/Fin  
Plumbing PE-Xc  
Blue

ASTM F2788

1/2" - 1" DR 6  
16 mm - 25 mm DR 6  
1/2" - 1" DR 7.4  
16 mm - 25 mm DR 7.4  
1/2" - 1" SDR 9  
16 mm - 25 mm SDR 9  
3/4" - 1" SDR 11  
20 mm - 25 mm SDR 11  
1" DR 13.6  
25 mm DR 13.6  
Pipe \$ ^ \$ +++

PEX 5006

Slant/Fin  
Plumbing PE-Xc  
Natural

ASTM F876/F877

1/4" - 1" SDR 9  
Pipe \$ \* ^ +++

PEX 5006

Slant/Fin  
Plumbing PE-Xc  
Natural

ASTM F2788

1/2" - 1" DR 6  
16 mm - 25 mm DR 6  
1/2" - 1" DR 7.4  
16 mm - 25 mm DR 7.4  
1/2" - 1" SDR 9  
16 mm - 25 mm SDR 9  
3/4" - 1" SDR 11  
20 mm - 25 mm SDR 11  
1" DR 13.6  
25 mm DR 13.6  
Pipe \$ ^ \$ +++

PEX 5006

Slant/Fin  
Plumbing PE-Xc  
Red

ASTM F876/F877

1/4" - 1" SDR 9  
Pipe \$ \* ^ +++

PEX 5006

Slant/Fin  
Plumbing PE-Xc  
Red

ASTM F2788

1/2" - 1" DR 6  
16 mm - 25 mm DR 6  
1/2" - 1" DR 7.4  
16 mm - 25 mm DR 7.4  
1/2" - 1" SDR 9  
16 mm - 25 mm SDR 9  
3/4" - 1" SDR 11  
20 mm - 25 mm SDR 11  
1" DR 13.6  
25 mm DR 13.6  
Pipe \$ \* ^ +++

PEX 5006

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Sioux Chief PE-  
Xc Black

ASTM F2788

1/2" - 1" DR 6  
 16 mm - 25 mm DR 6  
 1/2" - 1" DR 7.4  
 16 mm - 25 mm DR 7.4  
 1/2" - 1" SDR 9  
 16 mm - 25 mm SDR 9  
 3/4" - 1" SDR 11  
 20 mm - 25 mm SDR 11  
 1" DR 13.6  
 25 mm DR 13.6

Pipe ^ \$ \$\$ +++ PEX 5006 Terratherma PE-Xa Black ASTM F876/F877

3/8" - 1" DR 9  
 Pipe # ^ ¢ \$ \$\$ +++ PEX 5006 Terratherma PE-Xa Black CSA B137.5

3/8" - 1" DR 9  
 Pipe ^ ¢ \$ \$\$ +++ PEX 3006 Terratherma PE-Xa Natural ASTM F876/F877

3/8" - 6" SDR 9  
 Pipe \* ^ ¢ \$ \$\$ +++ PEX 3006 Terratherma PE-Xa Natural ASTM F2788

1/2" - 14" DR 6  
 16 mm - 355 mm DR 6  
 1/2" - 18" DR 7.4  
 16 mm - 450 mm DR 7.4  
 1/2" - 25" SDR 9  
 16 mm - 630 mm SDR 9  
 3/4" - 25" SDR 11  
 20 mm - 630 mm SDR 11  
 1" - 25" DR 13.6  
 25 mm - 630 mm DR 13.6  
 1 1/4" - 25" DR 16.2  
 32 mm - 630 mm DR 16.2  
 1 1/4" - 25" SDR 17  
 32 mm - 630 mm SDR 17

Pipe ^ \$ \$\$ +++ PEX 5106 Terratherma PE-Xa Natural ASTM F876/F877

3/8" - 1" DR 9  
 Pipe # ^ ¢ \$ \$\$ +++ PEX 5106 Terratherma PE-Xa Natural CSA B137.5

3/8" - 1" DR 9  
 Pipe # ^ ¢ \$ \$\$ +++ PEX 3006 Terratherma PE-Xa Natural CSA B137.5

3/8" - 6" SDR 9  
 Pipe \$ \* ^ +++ PEX 5006 Terratherma PE-Xc Black ASTM F2788

1/2" - 1" DR 6  
 16 mm - 25 mm DR 6  
 1/2" - 1" DR 7.4

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.





16 mm - 25 mm DR 7.4  
 1/2" - 1" SDR 9  
 16 mm - 25 mm SDR 9  
 3/4" - 1" SDR 11  
 20 mm - 25 mm SDR 11  
 1" DR 13.6  
 25 mm DR 13.6

Pipe \$ ^ \$ +++ PEX 5006 Terratherma PE-Xc Black ASTM F876/F877

1/4" - 1" SDR 9  
 Pipe \$ \* ^ +++ PEX 5006 Terratherma PE-Xc Blue ASTM F2788

1/2" - 1" DR 6  
 16 mm - 25 mm DR 6  
 1/2" - 1" DR 7.4  
 16 mm - 25 mm DR 7.4  
 1/2" - 1" SDR 9  
 16 mm - 25 mm SDR 9  
 3/4" - 1" SDR 11  
 20 mm - 25 mm SDR 11  
 1" DR 13.6  
 25 mm DR 13.6

Pipe \$ ^ \$ +++ PEX 5006 Terratherma PE-Xc Blue ASTM F876/F877

1/4" - 1" SDR 9  
 Pipe \$ \* ^ +++ PEX 5006 Terratherma PE-Xc Natural ASTM F2788

1/2" - 1" DR 6  
 16 mm - 25 mm DR 6  
 1/2" - 1" DR 7.4  
 16 mm - 25 mm DR 7.4  
 1/2" - 1" SDR 9  
 16 mm - 25 mm SDR 9  
 3/4" - 1" SDR 11  
 20 mm - 25 mm SDR 11  
 1" DR 13.6  
 25 mm DR 13.6

Pipe \$ ^ \$ +++ PEX 5006 Terratherma PE-Xc Natural ASTM F876/F877

1/4" - 1" SDR 9  
 Pipe \$ \* ^ +++ PEX 5006 Terratherma PE-Xc Red ASTM F2788

1/2" - 1" DR 6  
 16 mm - 25 mm DR 6  
 1/2" - 1" DR 7.4  
 16 mm - 25 mm DR 7.4  
 1/2" - 1" SDR 9  
 16 mm - 25 mm SDR 9  
 3/4" - 1" SDR 11

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



20 mm - 25 mm SDR 11

1" DR 13.6

25 mm DR 13.6

Pipe \$ ^ \$ +++

PEX 5006

Sioux Chief PE-Xc Black

ASTM F876/F877

1/4" - 1" SDR 9

Pipe \$ ^ \$ +++

PEX 5006

Terratherma PE-Xc Red

ASTM F876/F877

1/4" - 1" SDR 9

Pipe \$ \* ^ +++

PEX 5006

Sioux Chief PE-Xc Blue

ASTM F2788

1/2" - 1" DR 6

16 mm - 25 mm DR 6

1/2" - 1" DR 7.4

16 mm - 25 mm DR 7.4

1/2" - 1" SDR 9

16 mm - 25 mm SDR 9

3/4" - 1" SDR 11

20 mm - 25 mm SDR 11

1" DR 13.6

25 mm DR 13.6

Pipe \$ ^ \$ +++

PEX 5006

Sioux Chief PE-Xc Blue

ASTM F876/F877

1/4" - 1" SDR 9

Pipe \$ \* ^ +++

PEX 5006

Sioux Chief PE-Xc Natural

ASTM F2788

1/2" - 1" DR 6

16 mm - 25 mm DR 6

1/2" - 1" DR 7.4

16 mm - 25 mm DR 7.4

1/2" - 1" SDR 9

16 mm - 25 mm SDR 9

3/4" - 1" SDR 11

20 mm - 25 mm SDR 11

1" DR 13.6

25 mm DR 13.6

Pipe \$ ^ \$ +++

PEX 5006

Sioux Chief PE-Xc Natural

ASTM F876/F877

1/4" - 1" SDR 9

Pipe \$ \* ^ +++

PEX 5006

Sioux Chief PE-Xc Red

ASTM F2788

1/2" - 1" DR 6

16 mm - 25 mm DR 6

1/2" - 1" DR 7.4

16 mm - 25 mm DR 7.4

1/2" - 1" SDR 9

16 mm - 25 mm SDR 9

3/4" - 1" SDR 11

20 mm - 25 mm SDR 11

1" DR 13.6

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



25 mm DR 13.6

Pipe \$ ^ \$ \$\$\$

PEX 5006

Sioux Chief PE-Xc Red

ASTM F876/F877

1/4" - 1" SDR 9

# Tubing certified against CSA B137.5 shall include the standard designation(s) of the fitting system(s) for which the tubing is recommended by the manufacturer, and shall be qualified through testing. Please verify that tubing certified against CSA B137.5 is only marked with the following fitting system designation(s): ASTM F877, ASTM F2080, ASTM F1960.

\$ These products may also be produced with a blue, clear, or red barrier material on the outer layer of the tubing.

\* Barrier Pipes only Certified up to 160mm (6").

^ Meets the chlorine resistance requirements of ASTM F876 when tested in accordance with ASTM F2023.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

\$\$ These products may also be produced with a clear, blue, orange or red barrier material on the outer layer of the tubing.

+++ Material complies with NSF/ANSI/CAN 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).

Radiant Floor Heating

Product Type	Material Type	Trade Name	Product Standard
Pipe ¢ § \$\$\$	PEX 3006	Sioux Chief PEX PE-Xa Natural	ASTM F876/F877
3/8" - 6" SDR 9 Pipe # ¢ § \$\$\$	PEX 3006	Sioux Chief PEX PE-Xa Natural	CSA B137.5
3/8" - 6" SDR 9 Pipe \$ §	PEX 5006	Sioux Chief PEX PE-Xc Natural	ASTM F876/F877
1/4" - 1" SDR 9 Pipe \$ §	PEX 5006	Sioux Chief PEX PE-Xc Black	ASTM F876/F877
1/4" - 1" SDR 9 Pipe \$ §	PEX 5006	Sioux Chief PEX PE-Xc Blue	ASTM F876/F877
1/4" - 1" SDR 9 Pipe \$ §	PEX 5006	Sioux Chief PEX PE-Xc Red	ASTM F876/F877
1/4" - 1" SDR 9 Pipe \$ §	PEX 5006	Slant/Fin Heating PE-Xc Black	ASTM F876/F877
1/4" - 1" SDR 9 Pipe \$ §	PEX 5006	Slant/Fin Heating PE-Xc Blue	ASTM F876/F877
1/4" - 1" SDR 9 Pipe ¢ § \$\$\$	PEX 3006	Slant/Fin Heating PE-Xa Natural	ASTM F876/F877
3/8" - 6" SDR 9 Pipe # ¢ § \$\$\$	PEX 3006	Slant/Fin Heating PE-Xa Natural	CSA B137.5
3/8" - 6" SDR 9			

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Pipe \$ S	PEX 5006	Slant/Fin Heating PE-Xc Natural	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe \$ S	PEX 5006	Slant/Fin Heating PE-Xc Red	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe \$ S \$ \$	PEX 3006	Slant/Fin Plumbing PE-Xa Natural	ASTM F876/F877
3/8" - 6" SDR 9			
Pipe # \$ S \$ \$	PEX 3006	Slant/Fin Plumbing PE-Xa Natural	CSA B137.5
Pipe \$ S	PEX 5006	Slant/Fin Plumbing PE-Xc Natural	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe \$ S	PEX 5006	Slant/Fin Plumbing PE-Xc Black	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe \$ S	PEX 5006	Slant/Fin Plumbing PE-Xc Blue	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe \$ S	PEX 5006	Slant/Fin Plumbing PE-Xc Red	ASTM F876/F877
3/8" - 1" SDR 9			
Pipe \$ S \$ \$	PEX 3006	Pexgol PE-Xa Natural	ASTM F876/F877
3/8" - 6" SDR 9			
Pipe # \$ S \$ \$	PEX 3006	Pexgol PE-Xa Natural	CSA B137.5
3/8" - 6" SDR 9			
Pipe \$ S	PEX 5006	Pexgol PE-Xc Natural	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe \$ S	PEX 5006	Pexgol PE-Xc Black	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe \$ S	PEX 5006	Pexgol PE-Xc Blue	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe \$ S	PEX 5006	Pexgol PE-Xc Red	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe \$ S \$ \$	PEX 3006	Terratherma PE-Xa Natural	ASTM F876/F877
3/8" - 6" SDR 9			
Pipe # \$ S \$ \$	PEX 3006	Terratherma PE-Xa Natural	CSA B137.5
3/8" - 6" SDR 9			
Pipe \$ S	PEX 5006	Terratherma PE-Xc Natural	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe \$ S	PEX 5006	Terratherma PE-Xc Black	ASTM F876/F877
1/4" - 1" SDR 9			

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Pipe <sup>§ §</sup>	PEX 5006	Terratherma PE-Xc Blue	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe <sup>§ §</sup>	PEX 5006	Terratherma PE-Xc Red	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe <sup>¢ § § §</sup>	PEX 3006	AquaSeal PE-Xa Natural	ASTM F876/F877
3/8" - 6" SDR 9			
Pipe <sup># ¢ § § §</sup>	PEX 3006	AquaSeal PE-Xa Natural	CSA B137.5
3/8" - 6" SDR 9			
Pipe <sup>§ §</sup>	PEX 5006	AquaSeal PE-Xc Natural	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe <sup>§ §</sup>	PEX 5006	AquaSeal PE-Xc Black	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe <sup>§ §</sup>	PEX 5006	AquaSeal PE-Xc Blue	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe <sup>§ §</sup>	PEX 5006	AquaSeal PE-Xc Red	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe <sup>¢ § § §</sup>	PEX 3006	AquaHeat PE-Xa Natural	ASTM F876/F877
3/8" - 6" SDR 9			
Pipe <sup># ¢ § § §</sup>	PEX 3006	AquaHeat PE-Xa Natural	CSA B137.5
3/8" - 6" SDR 9			
Pipe <sup>§ §</sup>	PEX 5006	AquaHeat PE-Xc Natural	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe <sup>§ §</sup>	PEX 5006	AquaHeat PE-Xc Black	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe <sup>§ §</sup>	PEX 5006	AquaHeat PE-Xc Blue	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe <sup>§ §</sup>	PEX 5006	AquaHeat PE-Xc Red	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe <sup>¢ § § §</sup>	PEX 3006	Plumber Friendly PE-Xa Natural	ASTM F876/F877
3/8" - 6" SDR 9			
Pipe <sup># ¢ § § §</sup>	PEX 3006	Plumber Friendly PE-Xa Natural	CSA B137.5
3/8" - 6" SDR 9			
Pipe <sup>§ §</sup>	PEX 5006	Plumber Friendly PE-Xc Natural	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe <sup>§ §</sup>	PEX 5006	Plumber Friendly PE-Xc Black	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe <sup>§ §</sup>	PEX 5006	Plumber Friendly PE-Xc Blue	ASTM F876/F877
1/4" - 1" SDR 9			
Pipe <sup>§ §</sup>	PEX 5006	Plumber Friendly PE-Xc Red	ASTM F876/F877

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



1/4" - 1" SDR 9

# Tubing certified against CSA B137.5 shall include the standard designation(s) of the fitting system(s) for which the tubing is recommended by the manufacturer, and shall be qualified through testing. Please verify that tubing certified against CSA B137.5 is only marked with the following fitting system designation(s): ASTM F877, ASTM F2080, ASTM F1960.

\$ These products may also be produced with a blue, clear, or red barrier material on the outer layer of the tubing.

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

\$\$ These products may also be produced with a clear, blue, orange or red barrier material on the outer layer of the tubing.

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.